

Work Place Based Assessments - Minimum evidence schedule

For LTFTTs training at 50% of full-time the minimum evidence schedules will be as follows:

Specialty Training Year 1

Minimums prior to first 6 month (6m) review

- 3 x COT or mini-CEX
- 3 x CBD
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to second 6 month (12m) review – mid point

- 3 x COT or mini-CEX
- 3 x CBD
- 1 x MSF, 5 clinicians only
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to third 6 month (18m) review

- 3 x COT or mini-CEX
- 3 x CBD
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to final 6 month (24m) review – end point ST1

- 3 x COT or mini-CEX
- 3 x CBD
- 1 x MSF, 5 clinicians only
- 1 x PSQ, if in primary care *
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Specialty Training Year 2

Minimums prior to first ST2 6 month (30m) review

- 3 x COT or mini-CEX
- 3 x CBD
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to second ST2 6 month (36 m) review

- 3 x COT
- 3 x CBD
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to third ST2 6 month (42m) review

- 3 x COT or mini-CEX
- 3 x CBD
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Minimums prior to final ST2 6 month (48m) review

- 3 x COT
- 3 x CBD
- PSQ, if not completed in ST1
- DOPS, if in secondary care
- Clinical supervisors' reports, if in secondary care

Specialty Training Year 3 (primary care)

Minimums prior to first ST3 6 month (54m) review

- 6 x CBD
- 6 x COT

Minimums prior to second ST3 6 month (60m) review

- 6 x CBD
- 6 x COT
- 1 x MSF

Minimums prior to third ST3 6 month (66m) review

- 6 x CBD
- 6 x COT

Minimums prior to final ST3 6 month (72m) review

- 6 x CBD
- 6 x COT
- 1 x MSF
- 1 x PSQ

*The PSQ should be used once during months 54 to 72 (ST3, in primary care). PSQ can take place in ST1 or ST2, if the GPStR is in primary care. In other words the PSQ will be used only once if the GPStR is in general practice for 12 months (full time equivalent) but twice if they have more than 12 months (full time equivalent) in general practice.